

## **VALIANT EXPRESS BLUE**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : VALIANT EXPRESS BLUE

Other means of identification : Not applicable

Recommended use : Teat dip

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Dilution detailed on label

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/29/2014

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Product AS SOLD

Eye irritation : Category 2A

## **Product AT USE DILUTION**

Not a hazardous substance or mixture.

## **GHS Label** element

### **Product AS SOLD**

Hazard pictograms

 $\Diamond$ 

Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear eye protection/ face protection. Do not mix with bleach or other chlorinated products – will

cause chlorine gas.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

**Product AT USE DILUTION** 

Precautionary Statements

: Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

#### VALIANT EXPRESS BLUE

Other hazards : None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

CAS-No. Concentration (%) **Chemical Name** 10 - 30 Propylene glycol 57-55-6 lactic acid 50-21-5 5 - 10 Fattyalcohol ethoxylates > 5EO 68131-39-5 1 - 5 1 - 5 57-13-6 Urea Linear Alkylbenzenesulphonates 27177-77-1 1 - 5

**Product AT USE DILUTION** 

dodecylbenzene sulfonic acid

Chemical Name CAS-No. Concentration (%)

27176-87-0

Propylene glycol 57-55-6 1 - 5 sodium chlorite 7758-19-2 0.1 - 1

### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

0.1 - 1

Continue rinsing. Get medical attention.

In case of skin contact Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician Treat symptomatically.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

See toxicological information (Section 11)

#### SECTION 5. FIRE-FIGHTING MEASURES

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

None known.

902175 2 / 10

## VALIANT EXPRESS BLUE

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### Product AS SOLD

Personal precautions. protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Avoid contact with skin and eves. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products - will

cause chlorine gas.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature

: -30 °C to 50 °C

## **VALIANT EXPRESS BLUE**

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Product AS SOLD**

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m3	WEEL
Urea	57-13-6	TWA	10 mg/m3	WEEL

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : dark blue blue

Odor : odorless Chlorine

pH : 2.1, 100 % 3.5 - 4.5

Flash point : Not applicable

Odor Threshold : No data available

902175 4/10

### VALIANT EXPRESS BLUE

Melting point/freezing point : No data available

Initial boiling point and

Flammability (solid, gas)

boiling range

: > 100 °C

Evaporation rate

: No data available : No data available : No data available

Upper explosion limit Lower explosion limit

: No data available : No data available

Vapor pressure Relative vapor density

: No data available

Relative density

: 1.062 : soluble

Water solubility Solubility In other solvents

: No data available

Partition coefficient: n-

: No data available

octanol/water

: No data available

Autoignition temperature Thermal decomposition

No data available : No data available

Viscosity, kinematic Explosive properties

No data available

Oxidizing properties Molecular weight

: No data available No data available

VOC

: No data available

### **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid

: None known.

Incompatible materials

Bases

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

## **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye irritation.

## **VALIANT EXPRESS BLUE**

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION** 

Eye contact No symptoms known or expected.

Skin contact No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product AS SOLD** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available

902175 6 / 10

## VALIANT EXPRESS BLUE

STOT-single exposure

STOT-repeated exposure

: No data available : No data available

Aspiration toxicity

: No data available

Ingredients

Acute inhalation toxicity

: Propylene glycol

4 h LC50 Rat: > 158.5 mg/l

lactic acid

4 h LC50 Rat: > 7.94 mg/l

4 h LC50 Rat: > 2.71 mg/l

Ingredients

Acute dermal toxicity

lactic acid

LD50 Rabbit: > 2,000 mg/kg

Fattyalcohol ethoxylates > 5EO

LD50 Rat: > 2,000 mg/kg

Urea

LD50 Rat: 8,200 mg/kg

dodecylbenzene sulfonic acid LD50 Rabbit: 800 mg/kg

## **SECTION 12. ECOLOGICAL INFORMATION**

**Product AS SOLD** 

**Ecotoxicity** 

**Environmental Effects** 

: Harmful to aquatic life.

**Product** 

Toxicity to fish

: No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

: No data available

Ingredients

Toxicity to algae

Toxicity to fish

: Propylene glycol

96 h LC50: > 10,000 mg/l

lactic acid

96 h LC50 Fish: 130 mg/l

Fattyalcohol ethoxylates > 5EO

96 h LC50 Fish: 1.4 mg/l

96 h LC50 Fish: 127.9 mg/l

Linear Alkylbenzenesulphonates

96 h LC50 Fish: 3.2 mg/l

## VALIANT EXPRESS BLUE

dodecylbenzene sulfonic acid 96 h LC50 Fish: 4.3 mg/l

Ingredients

Toxicity to daphnia and other : Propylene glycol

aquatic invertebrates

48 h EC50: 18,340 mg/l

Ingredients

Toxicity to algae

: Propylene glycol

96 h EC50: 19,000 mg/l

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Product AS SOLD**

Disposal methods

: The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

**Product AT USE DILUTION** 

Disposal methods

: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Not dangerous goods

### VALIANT EXPRESS BLUE

### Sea transport (IMDG/IMO)

Not dangerous goods

#### **Product AT USE DILUTION**

Not intended for transport.

#### SECTION 15. REGULATORY INFORMATION

#### Product AS SOLD

#### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
dodecylbenzene sulfonic acid	27176-87-0	1000	102103

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard

**SARA 302** 

: No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

**SARA 313** 

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

## Australia Inventory of Chemical Substances (AICS):

not determined

# New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

# Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

## Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

### Korea. Korean Existing Chemicals Inventory (KECI):

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined


## VALIANT EXPRESS BLUE

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined

## **SECTION 16. OTHER INFORMATION**

# **Product AS SOLD**


NFPA:



#### HMIS III:

HEALTH	2*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic



Issuing date : 08/29/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.