To Find a Dealer Near You Please Contact the MEDA Office @ 608-588-7878 or medaoffice@chemstarworks.com



WHAT'S NEW FROM MILKRITE I INTERPULS? INTRODUCING THE





M Pulse

The MIPulse is our latest innovation in the world of farm management. The MIPulse self-diagnostic system provides information about the status of pulsators & liners, along with an analysis on the operator's performance. The device analyzes in real-time the farms data 24/7, and then presents it in a user-friendly presentation. This allows for better data driven decision making helping improve the quality of milking routines on larger farms.




The MIPulse device works with our MyFarm Software and so can be accessed from anywhere, at any time giving you real in time data.



QUICK AND EASY TO READ DASHBOARD:





✓ Ch1 ✓ Ch2

Stop reading

So how can the MIPulse benefit your farm?





Performance Monitoring - The MIPulse monitors your parlor constantly, giving you peace of mind that everything is working correctly all day long!



Liner Damage Monitoring - The MIPulse will detect any damage to your liners. This reduces the risk of teat damage & milk loss.



Operator Performance Monitoring - MIPulse can display that your operators are following the correct milking routine. This can help ensure the parlor is running at optimum performance and help you reduce the negative impacts of poor procedures.



24/7 Pulsation Monitoring - The MIPulse will ensure that pulsation performance is consistent in your parlor. Ensuring a smooth and consistent milking session for every cow.



Easy installation & Multiple Milking point application -The MIPulse is also easy to install & set up and can be used across more than one milking point saving on installation costs.





So if you are interested in learning more about the MIPulse then please contact us at the details below.



QUICK AND EASY TO READ DASHBOARD:



Milking efficiency



Average milking time



Average time in the bottom final











Average milk milked in the first 2



Amount of milk for stall for hour



Animal milked for stall for hour













Improving every farm we touch

Looking for a new approach to parlour washing?

The Top Wash IV from milkrite | InterPuls is the next generation of Dairy Washing systems. Giving you a high performance, reducing your operation costs and saving you time, the Top Wash IV represents the next milestone of farm management.



WATER-SAVING FUNCTION



Get hassle-free washing thanks to constant temperature, vacuum, conductivity, detergent & acid monitoring.



Save money and time:

- The self-learning function helps you calculate the right washing parameters, reduces the wash time.
- Low and easy maintenance required, no need for assistance,
- No need to be on-farm: parameters can be set remotely.



Do what's best for your herd's health:

- Customize the available programs, adapting them to the requirements your herd ensuring you get a premium quality milk,
- Improve the quality of your milking process through washing reports; avoid mastitis and other teat infection.

"A super product! Easy to use and has helped me cut a huge amount of time off of my milking process"

Mr. Serin - Gaec de la Landette (France) - 48 point rotary - 640 sheep

And this is nothing, Top Wash IV can do much more!

If you want to know more, please contact your sales representative or visit our website www.milkrite-interpuls.com

Simplify your washing process! Leave the hassle to our Top Wash IV!



To Find a Dealer Near You Please Contact the MEDA Office @ 608-588-7878 or medaoffice@chemstarworks.com









Top Wash Lite II

Washing Programmer

We introduce the latest release of the Top Wash Lite range. The washing programmer TWLite II incorporates the smart, user friendly design of the Top Wash Lite and the performance of the over-sized water solenoids.







Benefits

- ✓ Plug & Play, competitive solution
- √ Top hygiene and equipment sanitization
- ✓ Easy to program
- ✓ Sturdy electronic and IP65 protection class


Avantages

- √ Plug & Play, solution compétitive
- √ Hygiène maximale and désinfection des installations de traite
- √ Facile à programmer
- ✓ Electronique programmable et classe de protection IP65

Dimensions: 130x180x38 mm programmer; 100x230x100 mm S/S container Weight: 6 Kg Power supply: 24 VAC

Maximum power consumption: 2300 mA

Top Wash Lite II	Ref.	Description
Winds (1997)	5409034	TW Lite 1 S/S detergent container 1,5 Lts



Spare parts	Ref.
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	5409035
	5400201
	5400304
	5400037
	4600250 4600592

