SAFETY DATA SHEET



OXONIA ACTIVE

Section 1. Chemical product and company identification

Product name : OXONIA ACTIVE

Recommended use and

restrictions

: Sanitizer.

Use only for the purpose on the product label.

Product dilution information : Up to 3 oz/gal in water

Supplier's information : Ecolab Inc. Food & Beverage Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-392-3392

Code : 979252

Date of issue : 28 Jun 2013 EPA Registration No. : 1677-129

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification : OXIDIZING LIQUIDS - Category 3

ACUTE TOXICITY: ORAL - Category 4
ACUTE TOXICITY: INHALATION - Category 3
SKIN CORROSION/IRRITATION - Category 1
SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

GHS label elements

Signal word : Danger

Symbol :







Hazard statements: May intensify fire; oxidizer.

Toxic if inhaled. Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statements

Prevention: Wear protective gloves. Wear eye or face

protection. Wear protective clothing. Keep away from heat. - No smoking. Keep away from clothing, incompatible materials and combustible materials. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Store only in the original, properly sealed vented container. Do not mix with bleach or other chlorinated products - will cause chlorine gas. Wash hands thoroughly after handling.

Response :

Product AT USE DILUTION

ACUTE TOXICITY: ORAL - Category 4

CAUTION



Harmful if swallowed.

Wash hands thoroughly after handling.

Section 2. Hazards identification

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or physician.

Storage : No other specific measures identified.

Disposal : See section 13 for waste disposal information.

Other hazards : None known.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.

No other specific measures identified.

See section 13 for waste disposal

information.

None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product AS SOLD

Hazardous ingredients Concentration Range (%) CAS number

 HYDROGEN PEROXIDE
 27.5
 7722-84-1

 Peroxyacetic Acid
 5.8
 79-21-0

 ACETIC ACID
 8
 64-19-7

Product AT USE DILUTION

Hazardous ingredients Concentration Range (%) CAS number

Section 4. First aid measures

Product AS SOLD

Eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention

immediately.

Skin contact: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical

attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation : Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention immediately.

Ingestion: Get medical attention immediately. Rinse mouth.

Do not induce vomiting.

Product AT USE DILUTION

No known effect after eye contact. Rinse with

water for a few minutes.

No known effect after skin contact. Rinse

with water for a few minutes.

No special measures required. Treat

symptomatically.

Get medical attention if you feel unwell.

Rinse mouth.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If ventilation is inadequate, use respirator that will protect against dust/mist. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have

been ingested or inhaled.

Section 4. First aid measures

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing

media

: Use water spray, fog or foam.

Specific hazards arising from the chemical Hazardous thermal decomposition products

: Oxidizing material. May intensify fire. In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide

Specific fire-fighting methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Risk of explosion. If large quantities are involved in a major fire, evacuate the area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum possible distance.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Product AS SOLD

Personal precautions

: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled

material.

Environmental precautions

: Avoid contact of spilled material and runoff with soil and surface waterways.

Methods for cleaning up

: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. If emergency personnel are unavailable, contain spilled material. Absorb with an inert material and transfer the spilled material and absorbent to an appropriate waste disposal container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Use personal protective equipment as required.

Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

Use a water rinse for final clean-up.

Section 7. Handling and storage

Section 7. Handling and storage

Product AS SOLD

Handling : Do not ingest. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Keep

away from combustible materials. Keep only in original container. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Wash thoroughly after handling.

Storage : Keep out of reach of children. Keep container tightly closed. Keep container in a cool, well-

ventilated area. Store only in the original, properly sealed vented container. Separate from reducing

agents and combustible materials.

Store between the following temperatures: -10

and 40°C

Product AT USE DILUTION

Do not ingest. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Keep out of reach of children.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
HYDROGEN PEROXIDE	ACGIH TLV (United States, 3/2012). TWA: 1.4 mg/m³ 8 hours. TWA: 1 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 1.4 mg/m³ 8 hours. TWA: 1 ppm 8 hours. NIOSH REL (United States, 6/2009). TWA: 1 ppm 10 hours. TWA: 1.4 mg/m³ 10 hours.
ACETIC ACID	ACGIH TLV (United States, 3/2012). STEL: 37 mg/m³ 15 minutes. STEL: 15 ppm 15 minutes. TWA: 25 mg/m³ 8 hours. TWA: 10 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 25 mg/m³ 8 hours. TWA: 10 ppm 8 hours. NIOSH REL (United States, 6/2009). TWA: 10 ppm 10 hours. TWA: 25 mg/m³ 10 hours. STEL: 15 ppm 15 minutes. STEL: 37 mg/m³ 15 minutes.

Product AS SOLD

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection

Product AT USE DILUTION

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Page: 4/8

Section 8. Exposure controls/personal protection

Use chemical splash goggles. For continued or severe exposure wear a face shield over the

goggles.

Hand protection : Use chemical-resistant, impervious gloves.

: Use synthetic apron, other protective equipment Skin protection

as necessary to prevent skin contact.

Respiratory protection

: Ensure an MSHA/NIOSH-approved respirator or

equivalent is used.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing

before reusing.

Section 9. Physical and chemical properties

Product AS SOLD

Physical state : Liquid. Color : Colorless Odor : Pungent : 0.49 (100%) Ηg

Flash point : > 100°C

Product does not support combustion.

Explosion limits . Not available. Flammability (solid, : Not available.

gas)

Melting point : Not available. **Boiling point** : Not available. **Evaporation rate** : Not available.

(butyl acetate = 1)

Vapor pressure : Not available. Vapor density : Not available. Relative density : 1.12 (Water = 1)

Solubility : Soluble in the following materials: cold water and

hot water.

Partition coefficient: : Not available.

n-octanol/water

Auto-ignition : Not available.

temperature

Decomposition : Not available.

temperature

Odor threshold : Not available. Viscosity : Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability : The product is stable.

Possibility of hazardous

reactions

No protective equipment is needed under

normal use conditions.

No protective equipment is needed under

normal use conditions.

No protective equipment is needed under normal use conditions.

A respirator is not needed under normal and

intended conditions of product use.

Product AT USE DILUTION

Liquid. Colorless Pungent

2 to 3 [Conc. (% w/w): 100%]

>100 °C (Closed cup)

Section 10. Stability and reactivity

Hazardous reactions or instability may occur under certain conditions of storage or

use

Conditions may include the following: contact with combustible materials Reactions may include the following: risk of causing or intensifying fire

Conditions to avoid Materials to avoid : Drying on clothing or other combustible materials may cause fire.

: Extremely reactive or incompatible with the following materials: alkalis. Highly reactive or incompatible with the following materials: metals.

Reactive or incompatible with the following materials: organic materials. Do not mix

with bleach or other chlorinated products - will cause chlorine gas.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

Route of exposure : Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation : Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Ingestion: Adverse symptoms may include the following:

stomach pains

Acute toxicity

Eye contact : Causes serious eye damage.

Skin contact: Causes severe burns.

Inhalation: Toxic if inhaled. May cause respiratory irritation.

Ingestion: Harmful if swallowed. May cause burns to mouth,

throat and stomach.

Product AT USE DILUTION

No specific data.

No specific data.

No specific data.

No specific data.

No known significant effects or critical

hazards.

No known significant effects or critical

hazards.

No known significant effects or critical

hazards.

Harmful if swallowed.

Toxicity data

Product/ingredient name

Hydrogen peroxide LD50 Dermal Rabbit >2000 mg/kg LD50 Oral Rat 486 mg/kg acetic acid LC50 Inhalation Rat >40 mg/l Vapor

LD50 Dermal Rabbit 1060 mg/kg LD50 Oral Rat 3310 mg/kg LC50 Inhalation Rat 5.175 mg/l

Dusts and mists

LD50 Dermal Rat 1012 mg/kg LD50 Oral Rat 1634 mg/kg

Chronic toxicity

peracetic acid

Section 11. Toxicological information

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity : This material is toxic to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name Result **Species Exposure** Hydrogen peroxide Acute EC50 1.38 mg/l Aquatic plants 72 hours Acute LC50 75 mg/l Fish 96 hours acetic acid peracetic acid Acute EC50 0.73 mg/l Daphnia 48 hours Chronic NOEC 0.2 ppm 30 days Fish - Cyprinus Fresh water carpio - Young

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product

> completely in accordance with intended use. Disposal should be in accordance with applicable

> regional, national and local laws and regulations.

RCRA classification: Unused product is D002 (Corrosive)

Unused product is D001 (Ignitable)

Product AT USE DILUTION

Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification UN3109

DOT Proper shipping name Organic peroxide type F, liquid (Peroxyacetic acid, Type F, stabilized)

Class 5.2(8)

Packing group

IMO/IMDG

IMO/IMDG Classification **UN3109**

IMO/IMDG Proper shipping name ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid)

Class 5.2 (8)

Packing group

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

EPA Registration No. : 1677-129

SARA 302/304/311/312 extremely hazardous substances: Peroxyacetic acid SARA 302/304 emergency planning and notification: Peroxyacetic acid

SARA 313 Product name CAS number **Concentration**

Form R - Reporting 79-21-0 : Peroxyacetic acid 5.8

requirements

California Prop. 65 : No listed substance

Section 16. Other information

Product AS SOLD

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



Date of issue : 28 Jun 2013 Prepared by : Regulatory Affairs

1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

