

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Valiant Express Prime
Other means of identification	:	Not applicable
Recommended use	:	Teat dip
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	•	DILUTION DETAILED ON LABEL
Company	:	Ecolab Inc. 370 N. Wabasha Street St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	07/13/2016

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product	۵S	SOLD	
FIUUULL	AS	JULD	

Skin irritation	: Category 2
Serious eye damage	: Category 1

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements

Signal Word

Product AS SOLD	
Hazard pictograms	



Hazard Statements :	Causes skin irritation. Causes serious eye damage.
Precautionary Statements :	 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Product AT USE DILUTION Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Г

Valiant Express Prime			
	Storage:	advice/ attention if you fee	
Product AS SOLD Other hazards	: Do not mix wi chlorine gas.	th bleach or other chlorin	ated products – will cause
SECTION 3. COMPOSITION/	NFORMATION O	N INGREDIENTS	
Product AS SOLD Pure substance/mixture	: Mixture		
Chemical name glycerin lactic acid Propylene glycol alcohols, c12-15, ethoxylated Urea dodecylbenzene sulfonic acid		CAS-No. 56-81-5 50-21-5 57-55-6 68131-39-5 57-13-6 27176-87-0	Concentration (%) 30 - 60 5 - 10 5 - 10 1 - 5 1 - 5 1 - 5
Product AT USE DILUTION Chemical name glycerin		CAS-No. 56-81-5	Concentration (%) 1 - 5
SECTION 4. FIRST AID MEAS	SURES		
Product AS SOLD In case of eye contact	least 15 minu		, also under the eyelids, for at es, if present and easy to do. immediately.
In case of skin contact			ter for at least 15 minutes. Use tention if irritation develops and
If swallowed	: Rinse mouth.	Get medical attention if s	ymptoms occur.
If inhaled	: Remove to fre symptoms oc		cally. Get medical attention if
Protection of first-aiders	: If potential for protective equ		Section 8 for specific personal
Notes to physician	: Treat sympton	matically.	
Most important symptoms and effects, both acute and delayed	: See Section 1 symptoms.	1 for more detailed inforr	nation on health effects and
Product AT USE DILUTION In case of eye contact	: Rinse with ple	enty of water.	
In case of skin contact	: Rinse with ple	enty of water.	
If swallowed	: Rinse mouth.	Get medical attention if s	symptoms occur.

٦

SAFETY DATA SHEET

Valiant Express Prime

If inhaled

: Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Not flammable or combustible.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

SAFETY DATA SHEET

Valiant Express Prime

reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD Advice on safe handling	:	Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions for safe storage	:	Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	:	-25 °C to 50 °C
Product AT USE DILUTION		
Advice on safe handling	:	Wash hands after handling. For personal protection see section 8.
Conditions for safe storage	:	Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
glycerin	56-81-5	TWA	10 mg/m3	ACGIH
		TWA	5 mg/m3	OSHA Z1
		(respirable fraction)		
Propylene glycol	57-55-6	TWA	10 mg/m3	AIHA WEEL
Urea	57-13-6	TWA	10 mg/m3	AIHA WEEL
Engineering measures		aust ventilation sy ational exposure s	vstem. Maintain air co standards.	oncentrations
Personal protective equip	ment			
Eye protection	: Wear eye pro	otection/ face prote	ection.	
Hand protection	Standard glov Gloves should	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.		
Skin protection	: No special pr	otective equipme	nt required.	
Respiratory protection	: No personal r	: No personal respiratory protective equipment normally required.		
Hygiene measures	practice. Was handling. Pro	Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.		

Product AT USE DILUTION		
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment	ht
Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: opaque, dark green	green
Odor	: sweet	Chlorine
рН	: 2.2 - 4.0, 100 %	2.2 - 4.0
Flash point	: Not applicable, Does no	ot sustain combustion.
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: >100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.141 - 1.161	
Water solubility	: No data available	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: 40.000 mm2/s (40 °C)	
Explosive properties	: No data available	
Oxidizing properties	: The substance or mixtu	re is not classified as oxidizing.
Molecular weight	: No data available	
VOC	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reactions	:	Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	:	None known.
Incompatible materials	:	Bases
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Potential Health Effects

Product AS SOLD Eyes	:	Causes serious eye damage.
Skin	:	Causes skin irritation.
Ingestion	:	Contains tartrazine. If ingested or inhaled may cause asthmatic-like reactions or dermal symptoms in tartrazine-sensitive individuals.
Inhalation	:	Contains tartrazine. If ingested or inhaled may cause asthmatic-like reactions or dermal symptoms in tartrazine-sensitive individuals.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Product AT USE DILUTION		
Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
Product AT USE DILUTION Eye contact	: No symptoms known or expected.

Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
Toxicity	
Product AS SOLD	
Product	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available
Ingredients	
Acute inhalation toxicity	: lactic acid 4 h LC50 Rat: > 7.94 mg/l
	Propylene glycol 4 h LC50 Rat: > 158.5 mg/l
	Urea 4 h LC50 Rat: > 2.71 mg/l

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity	
Environmental Effects	: Toxic to aquatic life.
Product	
Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Ingredients	
Toxicity to fish	: glycerin

	96 h LC50 Fish: 855 mg/l
	lactic acid 96 h LC50 Fish: 130 mg/l
	Propylene glycol 96 h LC50: > 10,000 mg/l
	alcohols, c12-15, ethoxylated 96 h LC50 Pimephales promelas (fathead minnow): 1.4 mg/l
	Urea 96 h LC50 Fish: 127.9 mg/l
	dodecylbenzene sulfonic acid 96 h LC50 Fish: 4.3 mg/l
Ingredients	
Toxicity to daphnia and other : aquatic invertebrates	Propylene glycol 48 h EC50: 18,340 mg/l
Ingredients	
Toxicity to algae :	Propylene glycol 96 h EC50: 19,000 mg/l
Persistence and degradability	
Product AS SOLD Poorly biodegradable	
Product AT USE DILUTION Poorly biodegradable	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
SECTION 13. DISPOSAL CONS	
Product AS SOLD	

Product AS SOLD Disposal methods :	Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations :	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
Product AT USE DILUTION	

Valiant Express Prime	
Diana and mathematic	
Disposal methods	: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
dodecylbenzene sulfonic acid	27176-87-0	1000	53668

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

Listed on TSCA

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia Inventory of Chemical Substances (AICS) : not determined

New Zealand. Inventory of Chemical Substances : not determined

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined


Japan. ISHL - Inventory of Chemical Substances (METI) : not determined


Korea. Korean Existing Chemicals Inventory (KECI) : not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined







Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.